Prawnto Shrimp Machine

MLG - 3 MLG - 4

<u>The Most Profitable Way to Process</u>

Shrimp!



We manufacture the "**PRAWNTO** $^{\text{TM}}$ shrimp cutter and devein, the most dependable piece of equipment of its kind on the market today. Because it is powered by a ¼ hp motor and constructed of aluminum and stainless steel, and high quality standards are used in the manufacturing processes, we offer a 1-year warranty.

What exactly does the PRAWNTO[™] do?

It cuts the shrimp down the back to any depth while destroying most of the sand vein. The shell is then easily removed by "pinching" or pulling it off from the underside. The tail can be removed or left on for any presentation required.

What about cutting different sizes of shrimp?

Here is the beauty of the Prawnto... It's self-adjusting for different sizes. With our NEW patented roller system only the depth knob is necessary for different depths of cut.

Can the PRAWNTO[™] butterfly?

Yes. The cut will be deep in the front to fan the shrimp for better presentation while stopping at the tail section for efficient breading or skewering. Round cut and western cuts are also possible with the Prawnto™.

What are the size ranges the PRAWNTO $^{\mathsf{TM}}$ can handle?

U10 down to 90/115 count green headless product. Head-on shrimp can also be run through the *Prawnto*.

Will there be any damage or miss-cut shrimp?

NO. With proper, simple maintenance and cleaning, the cutting blade will always cut down the center of the shrimp's back each and every time.

PRAWNTO Model MP400

For "Maximum Production" of Easy Peel, Butterfly or Round Cut Shrimp.

<u>Auto-Transport Belt</u> sends shrimp to each station. <u>Exit Belt</u> sends cut shrimp to a flume or belt to transport to final inspection or cleaning table.

220 Volt, 50 or 60 Hertz, 950 Pounds Net Weight Footprint of 12'3" L x 52" W x 45" H 304 Stainless Steel Construction, 4 Operator Stations 24,000 Shrimp Per Hour or more Production Capability

** 530 pounds per hour of 41 - 50 per pound shrimp





WHY PRAWNTO?

VERY AFFORDABLE INITIAL COST

- HIGH PRODUCTIVITY AND YEILD
- NO PRODUCT DAMAGE OR WASTE
- LABOR ACCOUNTABILITY
- QUALITY CONTROL
- EASY MAINTENANCE

Model 300 Four Station Processing Set Up 21,000 Shrimp Per Hour Of "Easy Peel" Product

Easy Set Less Than One Hour

Foot Print 10' L x 22" W x 43" H

Available 110 Volt, 60 Hz & 220 Volt 50 or 60 Hz



How Fast? PRAWNTO!

| Model MP 400 | | | | |
|-------------------------|-----|-------|-----|--|
| Shrimp Per Hour | | | | |
| 24,000 | | | | |
| Count per Size Lbs. Kg. | | | | |
| U | 12 | 2,000 | 909 | |
| U | 15 | 1,600 | 727 | |
| 16 | 20 | 1,500 | 682 | |
| 21 | 25 | 1,143 | 519 | |
| 26 | 30 | 923 | 420 | |
| 31 | 35 | 774 | 352 | |
| 36 | 40 | 667 | 303 | |
| 41 | 50 | 585 | 266 | |
| 51 | 60 | 471 | 214 | |
| 71 | 90 | 338 | 154 | |
| 91 | 110 | 264 | 120 | |
| 120 | 150 | 200 | 91 | |
| 160 | 200 | 150 | 68 | |
| Inovnorioncod | | | | |

Inexperienced MLG-3 / MLG-4 Shrimp Per Hour

4,000

| C | C: | 11 | 17 - |
|-------|----------|------|------|
| Count | per Size | Lbs. | Kg. |
| U | 12 | 333 | 152 |
| U | 15 | 267 | 121 |
| 16 | 20 | 250 | 114 |
| 21 | 25 | 190 | 87 |
| 26 | 30 | 154 | 70 |
| 31 | 35 | 129 | 59 |
| 36 | 40 | 111 | 51 |
| 41 | 50 | 98 | 44 |
| 51 | 60 | 78 | 36 |
| 71 | 90 | 56 | 26 |
| 91 | 110 | 44 | 20 |
| 120 | 150 | 33 | 15 |
| 160 | 200 | 25 | 11 |

| Model 300 | | | | |
|-------------------------|-----|-------|-----|--|
| Shrimp Per Hour | | | | |
| 21,000 | | | | |
| Count per Size Lbs. Kg. | | | | |
| U | 12 | 1,750 | 795 | |
| U | 15 | 1,400 | 636 | |
| 16 | 20 | 1,313 | 597 | |
| 21 | 25 | 1,000 | 455 | |
| 26 | 30 | 808 | 367 | |
| 31 | 35 | 677 | 308 | |
| 36 | 40 | 583 | 265 | |
| 41 | 50 | 512 | 233 | |
| 51 | 60 | 412 | 187 | |
| 71 | 90 | 296 | 134 | |
| 91 | 110 | 231 | 105 | |
| 120 | 150 | 175 | 80 | |
| 160 | 200 | 131 | 60 | |
| Francisco d | | | | |

Experienced MLG-3 / MLG-4 Shrimp Per Hour

6,000

| Count | er Size | Lbs. | Kg. |
|-------|---------|------|-----|
| U | 12 | 500 | 227 |
| U | 15 | 400 | 182 |
| 16 | 20 | 375 | 170 |
| 21 | 25 | 286 | 130 |
| 26 | 30 | 231 | 105 |
| 31 | 35 | 194 | 88 |
| 36 | 40 | 167 | 76 |
| 41 | 50 | 146 | 67 |
| 51 | 60 | 118 | 53 |
| 71 | 90 | 85 | 38 |
| 91 | 110 | 66 | 30 |
| 120 | 150 | 50 | 23 |
| 160 | 200 | 38 | 17 |

Prawnto Maintenance

Maintenance on your Prawnto is simply Ordering #539

The *Tune-Up Kit* can be purchased as a single unit #539 or as individual pieces. The kit contains the active processing parts that show wear over time. We recommend you purchase the *Tune-Up Kit* at the time of your initial purchase to avoid interruption in your company's production.

Prawnto **Tune-Up Kit** Contains:

| Part | Description | Cost |
|-------|--------------------------------|----------|
| #310S | Stainless Steel Serrated Blade | \$42.95 |
| #313 | Set of 2 Feeder Disc | \$27.95 |
| #314 | Roller Disc Set-Up | \$29.95 |
| #432 | 16" Belt | \$9.95 |
| #504 | Roller Shaft | \$19.95 |
| #427 | Seal Washers (Kit Includes 3) | \$1.00 |
| #434 | Space Washers (Kit Includes 4) | \$0.25 |
| #539 | <u>Tune-Up Kit</u> | \$130.75 |

International customers, please consider that the addition of a *Tune-Up Kit* with your initial order will add virtually no shipping cost. Shipping at a later date will add significantly more in cost due to minimum weight charges per each order.